

ICC PLAN REVIEW SERVICES

ACCESSIBILITY PLAN REVIEW REQUIREMENTS

Accessibility Plan Reviews are based on the specified edition of the ICC/ANSI A117.1 standard as referenced by the applicable *International Building Code®* (IBC®) unless otherwise directed. In order to perform a thorough Accessibility Plan Review, the following specifications, drawings and details should be submitted:

- 1.** Complete signed and sealed (as required by applicable laws) architectural plans and material specifications of all work. Details and plans drawn to scale with sufficient clarity, details and dimensions to show the nature and extent of the work proposed.
- 2.** A site plan including the following information:
 - a.** Size and location of all new construction and all existing structures on the site.
 - b.** Location of any recreational facilities (i.e., pool, tennis courts, etc.)
 - c.** Established street grades and proposed finished grade.
 - d.** Accessible parking, other locations of public access to the facility, accessible exterior routes and locations of accessible entrances.
- 3.** Architectural plans and specifications to include:
 - a.** Description of uses and the proposed occupancy group(s) for all portions of the building. The design approach for mixed-uses (as applicable).
 - b.** Fully dimensioned drawings to determine areas and building height.
 - c.** Adequate details and dimensions to evaluate accessible means of egress, including occupant loads for each floor, exit arrangement and sizes, corridors, doors, stairs, ramps, handrails, areas of refuge, etc.
 - d.** Adequate details and dimensions to evaluate the accessible route to areas required to be accessible, including corridors, doors, protruding objects, maneuvering clearances, clear floor space at fixtures and controls, etc.
 - e.** Accessibility provisions including but not limited to access to services, seating, dining, listening systems, accessible fixtures, elevators, work surfaces, etc.
 - f.** Accessible plumbing facilities and details.
 - g.** Visual and tactile signage provided.
 - h.** Details of required fire protection systems and user controls.

Note: The ICC Accessibility Review will cover the scoping requirements in Chapter 11 of the IBC and other accessibility related requirements mainstreamed throughout the applicable building code. Technical requirements covered will be based on the applicable edition of ICC/ANSI A117.1, Accessible and Usable Buildings and Facilities. Any local, state or federal provisions, laws or regulations are beyond the scope of the review.