

## ICC PLAN REVIEW SERVICES

# PLUMBING PLAN REVIEW REQUIREMENTS

Plumbing Plan Reviews are based on the specified edition of the ICC *International Plumbing Code*® unless otherwise directed. In order to perform a thorough Plumbing Plan Review, the following specifications, drawings and details should be submitted:

- 1.** Complete signed and sealed (as required by applicable laws) plans and specifications of all plumbing work.
- 2.** Plumbing fixture specifications including identification of the applicable referenced material standards and the maximum flow rates for the plumbing fixtures.
- 3.** The basis for the number of plumbing fixtures provided including the occupant load used, the applicable occupancy group(s) and fixture rate(s).
- 4.** Dimensions for bathrooms and plumbing fixture locations along with the wall and floor surface materials to be installed.
- 5.** Site plan which indicates the routing of the sanitary, storm and water service with the burial depths for all sewers and water service.
- 6.** Water distribution system sizing criteria and calculations.
- 7.** Water supply and distribution piping plan showing the incoming water supply, distribution piping, pipe size, the location of water hammer arrestors and the location of all valves.
- 8.** The location of all backflow preventers, the type of backflow preventers provided for each piece of equipment or outlet and the specified material standards referenced in the code.
- 9.** Drainage system piping plan showing the layout of all piping, of plumbing fixtures and the location of cleanouts.
- 10.** Riser diagram(s) of the drain, waste and vent piping including the building drain, all horizontal branches and the connections and layout of all fixtures. Pipe sizes, direction of flow, grade of horizontal piping, drainage fixture loads and the method of venting all plumbing fixtures.
- 11.** The location of all indirect waste connections, standpipes, grease traps and separators.
- 12.** Complete water heater details, temperature and pressure relief valve discharge, discharge piping and pan details along with the method of supplying tempered water to required fixtures.
- 13.** Complete details of the method of draining storm water from the roof including calculations to verify pipe and/or gutter sizes, the location of all roof drains and the roof area that each group of roof drains is intended to serve and an independent secondary roof drainage system.
- 14.** Piping material specifications to verify compliance with the referenced material standards for all sanitary, storm and potable water piping (e.g., ASTM B88 for copper pipe), the type of joints and connections for all piping, the pipe hanger support spacing and details of anchorage and bracing.